

LUXXMOTION

L I V I N G I N T H E M O M E N T

Adjustable Bed Proposals

Model NUP100:



- Wired Remote
- Folding Metal Mesh Base
- Head Up Only / 750lbs Lift Capacity
- Zero Clearance Mechanical Design
- Foldable and UPSable for TXL/FULL/QUEEN
- Small Packing,High Loading Capacity&Easy to Transport
- Syncing for Split Sizes(Sync Cord is Optional)
- 12” Single Metal Legs
- No Tools Assembly

Size	Qty /40HQ	Packing Size (Inch)	Girth (Inch)	G.W (lbs.)	N.W (lbs.)
TXL	550	38.98*41.14*4.33	128	63.8	59.4
FULL	403	55.12*39.37*4.33	143	77	72.6
QUEEN	349	60.63*41.14*4.33	152	81.4	74.8
KING	280	76.38*41.14*4.33	167	99	92.4
CAL-KING	286	72.44*43.31*4.33	168	99	92.4

Model NUP200:



- Wireless Remote
- Folding Metal Mesh Base with Cover
- Head & Foot Adjustment/ 750lbs Lift Capacity
- One- Touch Flat / Preset Positions/
Programmable Memory Positions
- Platform and Flat Slats Sitting Friendly
- Foldable and UPSable for TXL/FULL/QUEEN
- Syncing for Split Sizes(Sync Cord is Optional)
- 5"+7" Adjustable Metal Legs
- 5 Minutes Tools Free Assembly

Size	Qty /40HQ	Packing Size (Inch)	Girth (Inch)	G.W (lbs.)	N.W (lbs.)
TXL	550	38.98*41.14*4.33	128	83.6	79.2
FULL	403	55.12*39.37*4.33	143	103.4	99
QUEEN	349	60.63*41.14*4.33	152	110	103.4
KING	280	76.38*41.14*4.33	167	134.2	127.6
CAL-KING	286	72.44*43.31*4.33	168	134.2	127.6

Model TFPB1250:



- Wireless Remote
- **Triple-fold Down Adjustable Bed**
- Head & Foot Adjustment/ 750lbs Lift Capacity
- Platform Friendly, Zero Clearance Mechanical Design
- UPSable for TXL/FULL/QUEEN
- Syncing for Split Sizes(Sync Cord is Optional)
- 4 in 1 Adjustable Legs (12"Plastic)
- 5 Minutes Tools Free Assembly

Size	Qty /40H Q	Packing Size (Inch)	Girth (Inch)	G.W (lbs.)	N.W (lbs.)
TXL	454	39.2*28.1*6.7	109	101	95
FULL	348	55.3*26.4*6.7	121	119	136.4
QUEEN	294	60.8*28.1*6.7	134	125	138.6
KING	243	76.8*28.1*6.7	146	169	161
CAL-KING	249	72.8*29.9*6.7	146	169	161

Model NUP200+LED+MASSAGE:



- Wireless Remote
- Folding Grid Base with **Quilted Cover**
- Head & Foot Adjustment / 750lbs Lift Capacity
- 3 Levels Intensity Head & Foot Massage with 3 Modes
- LED Lighting Under Bed
- One- Touch Flat / Preset Positions/ Programmable Memory Positions
- Zero Clearance Mechanical Design
- Foldable and UPSable for TXL/FULL/QUEEN
- Syncing for Split Sizes(Sync Cord is Optional)
- 5"+7" Adjustable Metal Legs
- No Tools Assembly

Size	Qty /40HQ	Packing Size (Inch)	Girth (Inch)	G.W (lbs.)	N.W (lbs.)
TXL	550	38.98*41.14*4.33	128	88	83.6
FULL	403	55.12*39.37*4.33	143	107.8	103.4
QUEEN	349	60.63*41.14*4.33	152	114.4	107.8
KING	280	76.38*41.14*4.33	167	138.6	132
CAL-KING	286	72.44*43.31*4.33	168	138.6	132

Model PB1500:



- Wireless Remote
- Head & Foot Adjustment / 750lbs Lift Capacity
- 3 Levels Intensity Head & Foot Massage with 3 Modes
- Type A+C Charging Ports & LED Lighting Under Bed
- One- Touch Flat / Preset Positions/ Programmable Memory Positions
- 3.5" Low Profile Thickness without Legs/Zero Clearance Mechanical Design
- Syncing for Split Sizes(Sync Cord is Optional)
- Power Down Battery Box Built in Power Supply
- 4 in 1 Adjustable Metal Legs
- 5 Minutes Tools Free Assembly

Size	Qty /40HQ	Packing Size (Inch)	Girth (Inch)	G.W (lbs.)	N.W (lbs.)
TXL	302	38.98*41.14*7.48	134	112	106
FULL	220	55.12*40.94*7.48	151	143	134
QUEEN	200	60.63*40.94*7.48	157	154	145
KING	146	77.17*41.14*7.48	175	204	193
CAL-KING	146	73.23*43.31*7.48	175	204	193